



May 20, 2016

Heart and Skeletal Muscle Inflammation (HSMI) Backgrounder

Heart and Skeletal Muscle Inflammation (HSMI) General Background.....	1
Symptoms and Diagnosis.....	1
HSMI Detection	1
HSMI and PRV.....	1
HSMI and Wild Salmon.....	2
HSMI Testing in BC.....	2

Heart and Skeletal Muscle Inflammation (HSMI) General Background

Symptoms and Diagnosis

- Heart and skeletal muscle inflammation (HSMI) is a low level chronic disease that was first diagnosed in 1999, in farmed Atlantic salmon in Norway.
- It has only been found to affect farm-raised Atlantic salmon, and is noted after fish have been transferred to sea and in freshwater hatcheries that use seawater in their production (Johansen et al., 2008).
- It is usually noted 5–9 months after sea- transfer with abnormal swimming behaviour, anorexia and maximum 20% mortality.
- It causes circulatory failure, and blood clots in the heart cavity.
- HSMI is diagnosed by histological observation of changes in the heart and skeletal muscle.

HSMI Detection

- HSMI has been diagnosed in farmed Atlantic salmon in Norway (Kongtorp et al., 2004) and Scotland (Ferguson et al., 2005).

HSMI and PRV

- Research is ongoing, but the cause of HSMI is yet to be determined. (Siah, et al, 2015). Although Piscine Orthoreovirus (also known as Piscine Reovirus) (PRV) has been proposed to be the causal agent of HSMI (Palacios et al., 2010; øvoll et al., 2012) recent studies using molecular diagnostics have found PRV to be present in farmed Atlantic salmon that are clinically healthy, as well as those suffering



from HSMI, and has been found in wild salmon that have not been shown to have HSMI (Øvoll et al., 2012; Garseth et al., 2013, Garver, et al., 2016). The high prevalence of PRV in fish without HSMI symptoms has raised questions as to whether PRV is the sole cause of the disease HSMI.

- In addition to Norway and Scotland, PRV genetic material has also been detected in farmed Atlantic salmon in Chile and Ireland (Rodger et al., 2014; Kibenge et al., 2013) from hatchery Chinook and coho salmon in Washington State at 6 different locations encompassing the Columbia River, Salish Sea and coastal area (WFRC, 2014) from farmed Atlantic salmon and wild Chinook and coho salmon in British Columbia (BC), Canada and in wild coho salmon from Alaska (Kibenge et al, 2013, Marty et al, 2014). Despite PRV presence, there have been no previously published reports of HSMI disease in Ireland or North America including the Pacific Northwest and Alaska.
- Additionally, genomic sequencing of PRV from British Columbia revealed some genetic differences when compared to PRV from the North Atlantic and Chile (Kibenge *et al.* 2013).

HSMI and Wild Salmon

- HSMI has not been reported in wild salmon populations anywhere globally. Although high levels of PRV genetic material have been detected in wild and cultured salmon there has been no evidence of HSMI disease (See Meyers, 2014 for references).
- In North America, surveys detected the presence of PRV genetic material in wild and cultured Chinook and coho salmon from Washington State, British Columbia, and Alaska, where years of surveillance have reported no presence of HSMI (See Meyers, 2014 for references).
- Molecular testing of archived fish tissues in British Columbia has shown that PRV was present in asymptomatic wild and farmed Pacific salmon since 1987 and may have been present as early as 1977 before Atlantic salmon were imported for aquaculture. (See Meyers, 2014, for references).
- Published scientific study of 200 wild juvenile pink salmon in BC (sampled in 2008) found no evidence of PRV or HSMI.

HSMI Testing in BC

- Skeletal muscle began to be sampled as part of Fisheries and Oceans Canada's Fish Health Audit & Surveillance Program in 2013 (DFO, 2015).



- Of the 1,013 Audit Program Atlantic Salmon sampled from 2014 and 2015, only two of the fish had both moderate skeletal muscle inflammation and significant cardiomyopathy. (DFO, 2015)
- Although some pathologists have summarized lesions present in samples from the audit program as "HSMI-like" or "consistent with HSMI", these diagnoses have not been consistent with a clinical pattern that matches HSMI (DFO, 2015).

References:

General References –

Fisheries and Oceans Canada (DFO) website: <http://www.dfo-mpo.gc.ca/science/aah-saa/species-especies/aq-health-sante/prv-rp-eng.html>

[DFO, 2015. Assessment of the Occurrence, Distribution and Potential Impacts of Piscine Reovirus on the West Coast of North America. DFO Can. Sci. Advis. Sec. Sci. Resp. 2015/037. Available online at: http://www.dfo-mpo.gc.ca/csas-sccs/publications/scr-rs/2015/2015_037-eng.html](http://www.dfo-mpo.gc.ca/csas-sccs/publications/scr-rs/2015/2015_037-eng.html)

Garver KA, Johnson SC, Polinski MP, Bradshaw JC, Marty GD, Snyman HN, et al. (2016) Piscine Orthoreovirus from Western North America Is Transmissible to Atlantic Salmon and Sockeye Salmon but Fails to Cause Heart and Skeletal Muscle Inflammation. PLoS ONE 11(1): e0146. Available online at: <http://bcsalmonfarmers.ca/wp-content/uploads/2016/01/Garver-et-al-2016-PRV-fails-to-cause-HSMI1.pdf>

International Council for the Exploration of the Sea (ICES):

Biering, E. and Garseth, Å. H. 2012. Heart and skeletal muscle inflammation (HSMI) of farmed Atlantic salmon (*Salmo salar* L.) and the associated *Piscine reovirus* (PRV). ICES Identification Leaflets for Diseases and Parasites of Fish and Shellfish. Leaflet No. 58. 6 pp. Available online at: <http://www.ices.dk/sites/pub/Publication%20Reports/Disease%20Leaflets/Sheet%20no.%2058.pdf>

Specific Studies –

Ferguson HW, Kongtorp RT, Taksdal T, Graham D, and Falk K. 2005. An Outbreak of Disease Resembling Heart and Skeletal Muscle Inflammation in Scottish Farmed Salmon, *Salmo salar* L., with Observations on Myocardial Regeneration. *Journal of Fish Diseases* 28:119-123. Available online at: https://www.researchgate.net/profile/Knut_Falk/publication/8028115_An_outbreak_of_disease_resembling_heart_and_skeletal_muscle_inflammation_in_Scottish_farmed_salmon_Salmo_salar_L_with_observations_on_myocardial_regeneration/links/550af6dd0cf285564096a889.pdf

Garseth AH, Biering E, Aunsmo A., 2013. Associations between piscine reovirus infection and life history traits in wild-caught Atlantic salmon *Salmo salar* L. in Norway. *Pre Vet Med* 2013 Oct



1;112(1–2):138–46. Available online at:

<http://www.sciencedirect.com/science/article/pii/S0167587713002067>

Johansen, R., Kongtorp, R. T., Bornø, G., Skjelstad, H. R., Olsen, A. B., Flesjå, K., Colquhoun, D., Ørpetveit, I., Hansen, H., Garseth, Å. H., and Hjeltnes, B. 2008. The health situation in farmed salmonids 2008. *In* Farmed fish health report 2008, p. 14. Norwegian Veterinary Institute, Oslo. Available online at: <http://www.vetinst.no/eng/Publications/Fish-Health-Report/Farmed-Fish-Health-Report-2008>

Kibenge MJ, Iwamoto T, Wang Y, Morton A, Godoy MG, et al. (2013) Whole-genome analysis of piscine reovirus (PRV) shows PRV represents a new genus in family Reoviridae and its genome segment S1 sequences group it into two separate sub-genotypes. *Virology Journal* 10: 10-230. Available online at: <http://virologyj.biomedcentral.com/articles/10.1186/1743-422X-10-230>

Kongtorp RT, Taksdal T, Lyngøy A. 2004. Pathology of Heart and Skeletal Muscle Inflammation (HSMI) in Farmed Atlantic salmon *Salmo salar*. *Diseases of Aquatic Organisms* 59:217-224. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/15264718>

Kongtorp, R. T., and Taksdal, T. 2009. Studies with experimental transmission of heart and skeletal muscle inflammation in Atlantic salmon, *Salmo salar* L. *Journal of Fish Diseases*, 32: 253–262. Available online at: <http://www.ncbi.nlm.nih.gov/pubmed/19236557>

Kongtorp, R. T., Kjerstad, A., Taksdal, T., Guttvik, A., and Falk, K. 2004. Heart and skeletal muscle inflammation in Atlantic salmon, *Salmo salar* L.: a new infectious disease. *Journal of Fish Diseases*, 27: 351–358. Available online at: <http://www.ncbi.nlm.nih.gov/pubmed/15189375>

Løvoll M, Allercon M, Jensen BB, Taksdal AB, Kristoffersen AB, and Tengs T. 2012. Quantification of Piscine Reovirus (PRV) at different stages of Atlantic salmon *Salmo salar* production. *Diseases of Aquatic Organisms* 99:7-12. Available online at: <http://www.ncbi.nlm.nih.gov/pubmed/22585298>

Marty GD, Morrison DB, Bidulka J, Joseph T, Siah A (2014) Piscine reovirus in wild and farmed salmonids in British Columbia, Canada: 1974-2013. *Journal of Fish Diseases*. Available online at: <http://onlinelibrary.wiley.com/doi/10.1111/jfd.12285/abstract>

Meyers, 2014. Piscine reovirus appears to be of low risk to wild Pacific salmonids. Information Report No. 10. Pacific Northwest Fish Health Protection Committee. Available online at: http://wdfw.wa.gov/pnfhpc/pubs/ireports/Piscine_Orthoreovirus_PNFHPC_Whitepaper.pdf

øvoll M, Alarcon M, Bang Jensen B, Taksdal T, Kristoffersen AB, Tengs T., 2012. Quantification of piscine reovirus (PRV) at different stages of Atlantic salmon *Salmo salar* production. *Dis Aquat Organ* 2012 May 15;99(1):7–12. Available online at: <http://www.int-res.com/abstracts/dao/v99/n1/p7-12/>



Palacios G, Løvoll M, Tengs T, Hornig M, Hutchison S, Hui J, et al. 2010. Heart and skeletal muscle inflammation of farmed salmon is associated with infection with a novel reovirus. PLoS One 2010;5(7):e11487. Available online at:
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0011487>

Rodger HD, McCleary SJ, Ruane NM (2014) Clinical cardiomyopathy syndrome in Atlantic salmon, *Salmo salar* L. Journal of Fish Disease doi: 10.1111/jfd.12186. Available online at:
<http://onlinelibrary.wiley.com/doi/10.1111/jfd.12186/abstract>

Siah A, Morrison DB, Fringuelli E, Savage P, Richmond Z, Johns R, et al., 2015. Piscine Reovirus: Genomic and Molecular Phylogenetic Analysis from Farmed and Wild Salmonids Collected on the Canada/US Pacific Coast. PLoS ONE 10(11): e0141475. Available online at:
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0141475>

WFRC Information Sheet (2014) Piscine reovirus. Available online at:
<http://wfrc.usgs.gov/products/infosheetpdf/piscinereovirus05272014.pdf>

Saksida, S.M., G.D. Marty, S. St-Hilaire, S.R.M. Jones, H.A. Manchester, C.L. Diamond, and J. Bidulka. 2012. Parasites and hepatic lesions among pink salmon, *Oncorhynchus gorbuscha* (Walbaum), during early seawater residence. J. Fish Dis. 35:137-151. Available online at:
<http://www.ncbi.nlm.nih.gov/pubmed/22233513>